

ADDENDUM NO. 1 PLANS, SPECIFICATIONS AND CONTRACT DOCUMENTS OCTOBER 11, 2024

PROJECT: Shady Rest Pump Station Force Main Replacement

OWNER: Macon Water Authority

CEG FILE: M0175.076

TO: ALL BIDDERS

This addendum forms a part of the Contract Documents and modifies the original Specifications and Contract Documents as noted below. Acknowledge receipt of this addendum in the space provided on the Bid Form; failure to do so may result in disqualification of bidder.

SUMMARY OF PRE-BID CONFERENCE CLARIFICATIONS

Attached to this Addendum is the Sign In Sheet and Agenda from the Mandatory Pre-Bid Conference held on Thursday, October 10, 2024. Clarifications and Documents from the conference are presented as follows:

Clarifications:

- 1. Coordination of Work / Special Conditions: Item B. on the Pre-Bid Conference Agenda referencing bypass pumping is hereby rescinded. In accordance with the discussion during the Pre-Bid Conference and in keeping with the project plans and specifications, the contractor shall be fully responsible for bypass pumping required to make the connection from the existing force main to the new force main.
- 2. The Contractor shall furnish and install 6" DR9 HDPE pipe material inside the force main discharge manhole as shown on Detail 2 Plan Sheet C7. The Contractor shall furnish and install a 350 psi pressure rated PVC to HDPE transition coupling (Romac ALPHA Series or approved equal) outside the discharge manhole.
- 3. The successful bidder will be required to complete a Macon-Bibb Right of Way Excavation / Occupation Application & Permit (form attached to this Addendum).

Addendum 1

ATTACHMENTS TO ADDENDUM 1:

Sign-in Sheet from Mandatory Pre-Bid Conference Pre-Bid Conference Agenda Macon-Bibb Right of Way Excavation / Occupation Application & Permit RW occupation permitting process

END OF ADDENDUM NO. 1

PRE-BID CONFERENCE Shasy Rest Pump Station Force Main Replacement for the Macon Water Authority Thursday, October 10, 2024 at 10:00 A.M.

	dstark @ mucon water org	NB-154-811	790 2nd 51	MWA	Doshin Stare
	FEVANS @ MACON WATER OVER	478-256-3376	42 pr 206	Murk	Frank Evans
I	Ihn RWAKAC, O'M	1 188-14	4038/475 Tulistrin 8100	John E WAIKER	Aubrey Walker
L==	dhall @ halland son, com	479 960 3287	5432 Tinker Dr Macon, GA 3/216	Sam Hulltsons	Don Hall
	cwillian 12 dor. com	404-960-8062	Sh60 Truman Dr Decatur, CA 30035	United Rontals	Huke Williams
	office @ helixiLC.US	404-989-9780	30 Industrial Or Zebulon, 6A 3245	Helik Grading & William LLC	Danny on CE Wancy
3	dmuzik @fsscarbough.com	0770 486 4908	SOO WHAN IER AVE SOZION SOZION	FSScarbraugh	Daniel Muzik
	jwood@carterenggrp.com	Office: 478-219-2600	6310 Peake Road, Suite 200, Macon, GA 31210	Carter Engineering Group	Joe Wood
	E-MAIL	CELL NUMBER	ADDRESS	COMPANY NAME	PRINTED NAME

PRE-BID CONFERENCE Shasy Rest Pump Station Force Main Replacement for the Macon Water Authority Thursday, October 10, 2024 at 10:00 A.M.

Burylow & Myrani B	28-852 -84	537 Hawlock St	Milina	Colle tringin
Devices or Macon ware on	978-978 566-964	918 McK	MWA	Darry Macy
Cark	478-447-4556 Carkins Omaconwater.org	918 MLK	m WA	Medrick Jankins MWA
Shee	4782569374 Sheenear CMACMINIATION MINE	11 1/	MWA	Joel Herpoon
Hesh	479-256-8353 Heshie enaconacoker,000	537 Hemboch St.	MWA	Rich Lestie
	CELL NUMBER	ADDRESS	COMPANY NAME	PRINTED NAME
1				



Mandatory Pre-Bid Conference Shady Rest Pump Station Force Main Replacement for the Macon Water Authority Thursday, October 10, 2024 at 10:00 A.M.

*** PLEASE SIGN-IN ***

AGENDA ITEMS

- 1. **Bid Date/Time: 2:00 P.M.**, Tuesday, October 29, 2024 at the Macon Water Authority Engineering Conference Room 537 Hemlock Street, Macon, GA 31201.
- 2. Cut Off Date for Pre-Bid Questions: Questions pertaining to the bid must be submitted in writing prior to 10:00 A.M., Monday, October 21, 2024.
- 3. Addenda Deadline for Current Bid Date: 2:00 P.M., Thursday, October 24, 2024.
- 4. Engineer Contacts:

Joe Wood (jwood@carterenggrp.com)

Cell: 770.656.6775 Office: 478.219.2600

Don Carter (dcarter@carterenggrp.com)

Office: 478.219.2600

5. Review of Project Scope:

- A. The Work to be performed under this Contract shall consist of furnishing all labor, materials, tools, equipment and incidentals and performing all Work required to installing approximately 2,120 LF of 6" C900 DR 18 PVC Sanitary Sewer Force Main by Open Trench. Also included is one 2" combination air valve. Pipe material and 2" combination air valve to be furnished by the Macon Water Authority. The doghouse manhole for the air valve shall be provided by contractor. The contractor will provide material handling and transport from the MWA warehouse to the project for all MWA provided materials.
- B. All Work described above shall be performed as shown on the Drawings and as specified. All work shall be done by those skilled in the type of work involved. When new work adjoins, connects or abuts existing work, the latter shall be altered as necessary and the work connected in a substantial and approved workmanlike manner. All work shall match as nearly as practical the existing, adjoining, and/or adjacent similar work. All existing work which is to remain, that is moved or disturbed or damaged by the contractor's operations shall be restored properly to original condition or replaced at no cost to the Owner.
- Dcarter@CarterEngGrp.com
- 478-219-2600
- 6310 Peake Road, Suite 200 Macon, Ga 31210

- C. The Contractor is responsible for all dewatering requirements as necessary to handle the water accumulated while construction activities are in progress.
- D. A Traffic Control Plan approved by Macon-Bibb County is required as part of the initial project submittals to the MWA.

Coordination of Work/Special Conditions:

- A. The contractor is responsible for verifying all utility crossing locations and elevations, whether or not they are shown on plans.
- B. Bypass pumping, if required will be contracted separately by the MWA.
 BYPASS PUMPING IS THE RESPONSIBLITY OF THE CONTRACTOR
- C. The contractor shall deliver letters notifying homeowners of the proposed project beginning and ending dates. The letter shall include a point of contact for the contractor.
- D. Contractor to distribute door knob hangers to affected homes prior to construction.
- E. Record drawings will include a plan and profile of the force main with data points every 25 LF at a minimum.
- F. This project has a completion time of 90 calendar days. Liquidated damages of \$200.00/day apply to each day beyond the 90 day schedule.
- 6. Bid Form (Attached)
 - A. Contingency shall be used as directed by the Owner or its Representative.
 - B. The Total Bid Amount (Base Bid) will include Items 1 through 8, including Contingency.
- 7. Bid Package Requirements (Section 00100-3 Instructions to Bidders)
 - a. The Bid;
 - b. The Bid Bond:
 - c. Statement of Bidder's Qualifications;
 - d. Statement of Equipment;
 - e. Corporate Certificate, if the Bidder is a corporation;
 - f. Statement of Disadvantaged Business Enterprise ("DBE") compliance;
 - g. Contractor's License Certification;

- h. Photocopy of State of Georgia Utility Contractor's License;
- Photocopy of Certificate of Authority from Georgia Secretary of State's Office to do work in Georgia (if out of state contractor);
- j. Non-Collusion Affidavit of Prime Bidder;
- k. Any and all forms, certifications or other documentation required by the Georgia Department of Natural Resources Environmental Protection Division.

Upcoming Addenda Items:

- A. Addendum 1 Notes & Sign-in Sheet from Pre-Bid Conference.
- B. Project clarifications as received.

Questions:

SECTION 00300

BID

TO: MACON WATER AUTHOR	TO:	MACON	WATER	AUTHORITY	7
------------------------	-----	-------	-------	------------------	---

FROM:		
_	(Bidder's Name)	

FOR: Shady Rest Pump Station Force Main Replacement

Submitted: , 20__

The undersigned Bidder, in compliance with your Invitation to Bid for the construction of this Project, having examined the Contract Documents and the site of the proposed Work, and being familiar with all of the conditions surrounding the construction of the proposed Project, including the availability of materials and labor, hereby proposes to construct the Project in accordance with the Contract Documents.

The Bidder proposes and agrees, if this Bid is accepted, to contract with the Macon Water Authority, in the form of Contract Agreement specified, and to furnish all necessary products, machinery, tools, apparatus, means of transportation and labor necessary to complete the construction of the Work in full and complete accordance with the reasonably intended requirements of the Contract Documents to the full and entire satisfaction of the Macon Water Authority with a definite understanding that no money will be allowed for extra work except as set forth in the Contract Documents, for the following prices:

Bid

Item	Qty	Unit	Description	Unit Price	Total Price
No.	- •		-		
1	EROSION AND SEDIMENT CONTROL –				
			CONTRACTOR FURNISH AND INST	TALL	
a.	100	L.F.	Type 'S' Silt Fence (As directed by the		
			MWA) (Sd1-S)		
b.	1	L.S.	Temporary & Permanent Grassing		
			Including Mulching (Approx. 0.85 AC)		
			(Ds1, Ds2, Ds3)		
c.	560	S.Y.	Erosion Control Mats – Slopes (Ss)		
d.	970	S.Y.	Erosion Control Mats – Waterways and		
			Swales (Ch2)		
e.	725	S.Y.	Block Sod (Ds4)		
2			" C900 DR 18 PVC FORCE MAIN INSTAI		
			PVC PIPE AND GASKETS FURNISHED	,	
	JOI		FRAINTS, THRUST BLOCKING, FITTIN		,
		TRANS	PORT AND INSTALLATION TO BE FUR	RNISHED BY '	ГНЕ
		I I	CONTRACTOR	T	
a.	1	EA.	Core Existing Discharge Manhole, Connect		
			New Force Main, Furnish and Install Inside		
			Drop		
b.	1	LS	Furnish and Install Cementitious Epoxy		
			Liner Inside Existing Discharge Manhole		
c.	1	EA.	Connect New Force Main to Existing Piping		
	2.120		at Shady Rest Pump Station		
d.	2,120	L.F.	Install MWA Supplied 6-Inch C900 DR 18		
			PVC Force Main by Open Trench (Fittings		
			and Appurtenances to be Supplied by		
			Contractor, Cost of Contractor Supplied		
			Materials to be Included in Price for Pipe		
	40	LE	Installation Per LF)		
e.	40	L.F.	Remove and Replace 8-Inch SDR 26 PVC		
			Sanitary Sewer In Conflict with Force Main Installation		
			(Pipe & Fittings Supplied by the Contractor)		
f.	1	EA.	Install MWA Furnished 2" Combination Air		
1.	1	LA.	Valve in Contractor Furnished Manhole		
σ	1	LS	Furnish and Install Contractor Supplied 6"		
g.	1	LS	Protecto 401 Epoxy Coated CL 350 DIP		
			Permanent Bypass Piping and Fittings		
			Including 6" Wye, 6" 90 Degree Bends, 6"		
			Check Valve and 6" Bauer Connection with		
			Cap		
h.	4	EA.	Furnish and Install Contractor Supplied 6"		
11.			Plug Valve		
			1145 14110		

		- ~		1	
i.	1	LS	Furnish and Install Bypass Pumping To		
			Facilitate New Force Main Connection to		
			Pump Station – Includes Backup Pump		
j.	16	C.Y.	Furnish and Install Flowable Fill Inside		
			Abandoned Force Main		
k.	60	L.F.	Remove and Replace 1" Water Service Line		
			In Conflict with Force Main Installation		
			(Pipe & Fittings Supplied by the Contractor)		
3			AS-BUILT SURVEY		
a.	1	L.S.	Furnish As-Built Survey of Completed		
			Force Main		
4		PAVEMI	ENT, CURB & GUTTER, GRAVEL ROAD	WAY REP	AIR AND
			REPLACEMENT -		·
			CONTRACTOR TO FURNISH AND IN	ISTALL	
a.	141	S.Y.	Class 'A' Pavement – Remove and Replace		
b.	34	S.Y.	Concrete Driveway, 6" Thickness –		
			Remove and Replace		
c.	20	S.Y.	Gravel Driveway, 4" Thickness – Remove		
			and Replace		
d.	60	L.F.	Concrete Mountable Curb, 6" x 24" -		
			Remove and Replace		
e.	1	LS	Gravel Road Repair / Replacement (Paid		
			Out as 25% of LS per Pay Application Not		
			to Exceed 100%)		
5			REMOVE AND REPLACE STORM DRA	INAGE –	•
			CONTRACTOR TO FURNISH AND IN	ISTALL	
a.	108	L.F.	Remove and Replace 24" RCP Storm Drain		
b.	1	EA.	Remove and Replace 24" Straight Concrete		
			Headwall (GDOT STD 1001-B)		
c.	3	EA.	24" Flared End Section		
d.	3	EA.	24" Safety End Section		
6			TRAFFIC CONTROL -		
			CONTRACTOR TO FURNISH AND IN	STALL	
a.	1	L.S.	Traffic Control (Paid Out as 25% of LS per		
			Pay Application Not to Exceed 100%)		
7			TRENCH ROCK		
a.	50	C.Y.	Trench Rock Base Cost	\$40.00	\$2,000.00
b.	50	C.Y.	Trench Rock Premium Cost		
8		1	ALLOWANCES	1	
a.	1	LS	Owner Allowance / Contingency	\$10,000	0.00 \$10,000.00
		_~~	1	+ 10,000	+ , 0 0 0 . 0 0

00300-4		
Bid		
Total Bid for Items 1 through	gh_8, inclusive, in the amount of	
		Dollars
(\$) which sum hereinafter is	s called the "Base Bid".

The Bidder agrees hereby to commence Work under this Contract, with adequate personnel and equipment, on a date to be specified in a written order of the Engineer, and to fully complete all Work under this Contract within Ninety (90) consecutive calendar days from and including said date specified in the written order of the Engineer. Bidder further agrees to pay as liquidated damages, the sum of \$200.00 for each calendar day thereafter required to achieve substantial completion of all Work.

The Bidder declares an understanding that the quantities shown for unit price items are subject to either increase or decrease, and that should the quantities of any of the items of Work be increased, the Bidder proposes to do the additional Work at the unit prices stated herein; and should the quantities be decreased, the Bidder also understands that payment will be made on the basis of actual quantities at the unit price bid and will make no claim for additional costs or anticipated profits for any decrease in quantities; and that actual quantities will be determined upon completion of Work, at which time adjustment will be made to the Contract Price by direct increase or decrease.

In case of discrepancies between the figures shown in the unit prices and the totals, the unit prices shall apply and the totals shall be corrected to agree with the unit prices. In case of discrepancies between written amounts and figures, written amounts shall take precedence over figures and the sum of all Bid extensions (of unit prices) plus lump sum items shall take precedence over the Bidder's represented BID TOTAL.

The Bidder furthermore agrees that, in the case of a failure to execute the Contract Agreement and Bonds within ten days after receipt of conformed Contract Documents for execution, the attached Bid Bond accompanying this Bid and the monies payable thereon shall be paid into the funds of the Macon Water Authority as liquidated damages for such failure.

_	1	0	1	_
		(

Bid

A. 1 11 D'ID 10	D.W.
Attached hereto is a Bid Bond for the sum of	
Dollars (\$) according to the conditions of "Instructions to
Bidders" and provisions thereof.	
Bidder acknowledges receipt of the Following Addend	da:
Addendum No. 1, dated:	
Addendum No. 2, dated:	
Addendum No. 3, dated:	
Addendum No. 4, dated:	

Remainder of Page Left Blank [Signatures, attestations, and seal on following page]

Bid

	By:	
	Name:(Print or Type)	
	Address:	
	Attest:	
	Name: (Print or Type)	
	Title:	
		(SEAL)
	<u>*</u>	ecretary of record for the corporation, as reflected in the partnership by another partner; for an individual by a
		shall be signed by an officer of the corporation; if a ned by others, authority for signature shall be attached.
	ames and addresses of persons or part	ies interested in the foregoing Bid, as principals, are as
The full n follows:		
	<u>Name</u>	<u>Address</u>

END OF SECTION



RIGHT OF WAY EXCAVATION/OCCUPATION APPLICATION & PERMIT

TO: MACON-BIBB COUNTY ENGINEER'S	PERMIT #
780 THIRD STREET	DATE:
MACON, GEORGIA 31201-3282	
TELEPHONE: (478) 621-6660 FAX: (478) 621-6666	5
NAME OF COMPANY:	INSURED(Y) (N)
APPLICANT:	POSITION:
MAILING ADDRESS:	E-MAIL:
CITY/STATE:	ZIP CODE:
TELEPHONE: FAX:	CELL:
REPAIRING CONTRACTOR:	CONTACT:
CELL:	
PERMISSION IS HEREBY REQUESTED TO WORK IN F	RIGHT-OF-WAY TO CONSTRUCT, OPERATE AND
MAINTAIN THE FOLLOWING DESCRIBED FACILITY II	NSTALLATION WITHIN THE PUBLIC RIGHT-OF-WAY IN
BIBB COUNTY IN ACCORDANCE WITH THE ATTACH	ED PLAN AND SUBJECT TO THE RULES AND
REGULATIONS AND ANY SPECIAL REQUIREMENTS S	SET FORTH. HEREIN, ALL GENERAL AND SPECIAL
CONDITIONS SHOWN ON THE REVERSE SIDE SHALL	L BE OBSERVED DURING THE INSTALLATION,
OPERATION AND MAINTENANCE OF SAID FACILITIE	ES. IN THE EVENT MACON-BIBB COUNTY WIDENS OR
RELOCATES THE ROAD, ANY RELOCATION OF ANY	UTILITY INSTALLED WILL BE AT THE OWNERS EXPENSE.
DESCRIPTION OF EXC	CAVATION/OCCUPATION
•	&TYPE OF WORK:
WATER: SEWER: GAS: CLOSE	
FLAGMAN: BARRICADES: CONES	
CUT IN PAVEMENT: X SIDEWALK	*: X DRIVEWAY: X
CONCRETEASPHALTBRICKBORES UNDE	ER ROAD: LENGTH OF BORES:
	RKING PLACES:FACADE:MANLIFT:
FIBER OPTIC: LENGTH: SIZE AND TYP	
POLE REPLACEMENT:NUMBER OF	
STARTING DATE: DAYS:	
FRANCHISE:SKETCH PROVIDED:	
INSPECTED BY:TIME:HRS:	
APPROVED BY: DATE:	

FOR OFFICE USE ONLY

PERMISSION IS GRANTED TO MAKE THE ABOVE DESCRIBED WORK IN RIGHT OF WAY IN ACCORDANCE WITH THE PLANS AND CONDITIONS INCLUDING THE TERMS SET FORTH ON THE REVERSE HEREOF. THIS PERMIT IS TO BE STRICTLY CONSTRUED AND NO WORK OTHER THAN SPECIFICALLY DESCRIBED ABOVE IS HEREBY AUTHORIZED, SUBSEQUENT NORMAL MAINTENANCE NOT EXCEPTED.

PERMIT APPROVED BY MACON-BIBB COUNTY ENGINEERING OFFICE:

^{*}Replace Full Sidewalk Panels

Attached is a copy of our permit application to work in the right of way of Macon Bibb County. Please fill this out and return at your earliest convenience. In addition, please submit the following:

- A sketch showing the location of the right of way work or lane/street closure which should include traffic control (flagmen, signs, barriers, cones, etc.) and, for a street closure, a detour plan.
- 2. A Certificate of Liability Insurance with the certificate holder shown as Macon Bibb County Government, 700 Poplar Street, Macon, GA 31201. Please have your agent send this to me by email to ensure that I receive it.
- If the work involved will be occupying a parking meter area, I will need documentation from Park Macon-Bibb that you have contacted them and made arrangements for blocking the meters. They can be reached at parkmaconbibb@lanierparking.com, 523 Cherry Street, Macon, 478-738-3981.

If you have any additional questions, please do not hesitate to ask.

Charletta Price

Macon Bibb County Engineering Dept.

780 Third Street

Macon, GA 31201

(478) 621-6325

(478) 621-6666 Fax

cyprice@maconbibb.us